



KVSR Siddhartha College of Pharmaceutical Sciences

Siddhartha Nagar, Vijayawada - 520010, AP, INDIA

RESULT ANALYSIS

Results Announced Dt. 01.06.2024

Batch : Y22

Prepared on : 16.08.2024

Year/Course/Semester II/IV B.Pharm/ 3

Revaluation Announced Dt. 14.08.2024

Academic Year 2023-24

S NO	REG NO	301	302	303	304	305	306	307	308	TOTAL	%	STATUS	RV
1	Y22BPH140001	58	56	46	57	40	42	44	42	385	64.17	F1	FAIL
2	Y22BPH140002	58	52	59	65	40	44	43	42	403	67.17	PASS	
3	Y22BPH140003	AB	AB	AB	AB	AB	AB	AB	AB	0	0.00	Absent	
4	Y22BPH140004	54	57	46	56	40	44	43	45	385	64.17	F1	FAIL
5	Y22BPH140005	71	66	61	60	43	43	45	46	435	72.50	PASS	
6	Y22BPH140006	77	66	70	73	45	46	45	45	467	77.83	PASS	
7	Y22BPH140007	81	70	81	76	45	46	46	48	493	82.17	PASS	
8	Y22BPH140008	75	64	69	62	44	45	45	44	448	74.67	PASS	
9	Y22BPH140009	75	56	63	67	42	42	44	44	433	72.17	PASS	
10	Y22BPH140010	74	66	74	70	42	45	45	45	461	76.83	PASS	
11	Y22BPH140011	74	59	59	71	41	45	45	45	439	73.17	PASS	
12	Y22BPH140012	66	50	50	56	40	41	44	44	391	65.17	PASS	
13	Y22BPH140013	71	62	68	68	41	43	45	45	443	73.83	PASS	
14	Y22BPH140014	73	62	64	72	44	45	44	46	450	75.00	PASS	
15	Y22BPH140015	76	57	72	75	44	44	44	44	456	76.00	PASS	
16	Y22BPH140016	73	61	62	65	43	43	44	45	436	72.67	PASS	
17	Y22BPH140017	68	60	50	58	40	42	41	42	401	66.83	PASS	
18	Y22BPH140018	65	55	59	64	42	42	44	43	414	69.00	PASS	
19	Y22BPH140019	73	57	64	61	41	42	44	45	427	71.17	PASS	
20	Y22BPH140020	71	57	58	61	41	44	45	42	419	69.83	PASS	
21	Y22BPH140021	55	53	54	59	38	35	44	38	376	62.67	PASS	
22	Y22BPH140022	73	61	64	60	42	45	45	43	433	72.17	PASS	
23	Y22BPH140023	79	74	73	81	43	47	45	48	490	81.67	PASS	PASS
24	Y22BPH140024	81	66	74	69	43	45	45	44	467	77.83	PASS	
25	Y22BPH140025	72	68	69	78	42	41	45	43	458	76.33	PASS	
26	Y22BPH140026	92	67	70	59	44	45	45	43	465	77.50	PASS	
27	Y22BPH140027	58	52	54	62	39	41	41	37	384	64.00	PASS	
28	Y22BPH140028	70	58	67	61	43	43	44	43	429	71.50	PASS	
29	Y22BPH140029	75	61	68	71	42	43	45	43	448	74.67	PASS	

S NO	REG NO	301	302	303	304	305	306	307	308	TOTAL	%	STATUS	RV
30	Y22BPH140030	78	60	65	68	42	43	44	44	444	74.00	PASS	
31	Y22BPH140031	69	63	72	63	44	43	45	43	442	73.67	PASS	
32	Y22BPH140032	76	77	72	76	45	46	45	44	481	80.17	PASS	
33	Y22BPH140033	70	64	70	63	43	41	44	44	439	73.17	PASS	
34	Y22BPH140034	72	62	65	62	42	43	45	44	435	72.50	PASS	
35	Y22BPH140035	68	57	65	62	42	43	45	45	427	71.17	PASS	
36	Y22BPH140036	67	57	58	57	42	42	43	42	408	68.00	PASS	
37	Y22BPH140037	78	57	74	75	42	42	45	44	457	76.17	PASS	
38	Y22BPH140038	71	59	71	62	43	42	45	44	437	72.83	PASS	
39	Y22BPH140039	54	63	51	55	40	42	44	42	391	65.17	PASS	
40	Y22BPH140040	73	65	59	64	44	42	45	46	438	73.00	PASS	
41	Y22BPH140041	76	61	71	73	43	43	45	45	457	76.17	PASS	
42	Y22BPH140042	50	56	52	45	39	42	43	43	370	61.67	F1	
43	Y22BPH140043	61	59	55	58	42	42	45	45	407	67.83	PASS	
44	Y22BPH140044	74	76	75	65	44	45	45	47	471	78.50	PASS	
45	Y22BPH140045	71	61	61	63	44	43	45	44	432	72.00	PASS	
46	Y22BPH140046	66	61	67	68	42	43	45	45	437	72.83	PASS	
47	Y22BPH140047	56	57	61	58	43	41	43	11	370	61.67	F1	
48	Y22BPH140048	79	80	81	81	45	45	45	47	503	83.83	PASS	PASS
49	Y22BPH140049	76	72	82	66	43	44	45	46	474	79.00	PASS	PASS
50	Y22BPH140050	73	69	74	72	43	44	45	45	465	77.50	PASS	
51	Y22BPH140051	71	60	61	74	44	44	45	44	443	73.83	PASS	
52	Y22BPH140052	67	58	54	63	41	44	44	44	415	69.17	PASS	
53	Y22BPH140053	70	65	68	63	42	44	44	45	441	73.50	PASS	
54	Y22BPH140054	73	68	66	63	45	42	45	45	447	74.50	PASS	
55	Y22BPH140055	75	69	68	63	44	44	45	45	453	75.50	PASS	
56	Y22BPH140056	78	66	65	72	46	44	45	44	460	76.67	PASS	
57	Y22BPH140057	72	59	64	60	44	44	44	42	429	71.50	PASS	
58	Y22BPH140058	68	56	67	62	45	42	43	45	428	71.33	PASS	
59	Y22BPH140059	71	53	61	59	43	42	45	45	419	69.83	PASS	
60	Y22BPH140060	51	54	54	38	42	40	43	40	362	60.33	F1	FAIL
61	Y22BPH140061	75	63	64	74	43	43	44	45	451	75.17	PASS	
62	Y22BPH140062	73	52	59	73	41	42	43	44	427	71.17	PASS	
63	Y22BPH140063	57	56	50	60	41	40	43	44	391	65.17	PASS	
64	Y22BPH140064	73	58	65	62	46	45	44	45	438	73.00	PASS	
65	Y22BPH140065	76	62	75	70	45	46	45	45	464	77.33	PASS	
66	Y22BPH140066	70	61	60	59	44	44	43	45	426	71.00	PASS	

S NO	REG NO	301	302	303	304	305	306	307	308	TOTAL	%	STATUS	RV
67	Y22BPH140067	66	70	66	63	46	43	44	45	443	73.83	PASS	
68	Y22BPH140068	58	57	59	56	41	41	43	45	400	66.67	PASS	
69	Y22BPH140069	61	56	52	56	43	44	43	44	399	66.50	PASS	
70	Y22BPH140070	67	53	51	61	43	44	44	45	408	68.00	PASS	
71	Y22BPH140071	66	57	61	57	45	42	44	45	417	69.50	PASS	
72	Y22BPH140072	82	56	61	63	45	45	44	45	441	73.50	PASS	
73	Y22BPH140073	78	66	70	72	43	44	45	44	462	77.00	PASS	
74	Y22BPH140074	76	62	70	81	44	45	45	44	467	77.83	PASS	
75	Y22BPH140075	58	64	51	55	43	44	43	45	403	67.17	PASS	
76	Y22BPH140076	81	67	70	59	46	46	45	46	460	76.67	PASS	
77	Y22BPH140077	75	60	57	71	41	41	43	45	433	72.17	PASS	
78	Y22BPH140078	72	63	62	65	45	43	45	44	439	73.17	PASS	
79	Y22BPH140079	76	68	71	82	45	45	45	46	478	79.67	PASS	
80	Y22BPH140080	64	63	53	57	41	42	43	43	406	67.67	PASS	
81	Y22BPH140081	71	64	66	58	45	42	45	44	435	72.50	PASS	
82	Y22BPH140082	69	63	60	66	44	44	45	44	435	72.50	PASS	
83	Y22BPH140083	63	53	51	53	40	44	41	44	389	64.83	PASS	
84	Y22BPH140084	72	57	59	69	42	43	45	44	431	71.83	PASS	
85	Y22BPH140085	59	54	39	64	43	43	43	44	389	64.83	F1	FAIL
86	Y22BPH140086	58	63	50	55	43	45	41	44	399	66.50	PASS	
87	Y22BPH140087	71	53	59	60	42	42	43	44	414	69.00	PASS	
88	Y22BPH140088	65	51	59	58	44	43	43	44	407	67.83	PASS	
89	Y22BPH140089	66	55	60	57	44	42	41	44	409	68.17	PASS	
90	Y22BPH140090	62	52	59	65	43	44	43	44	412	68.67	PASS	
91	Y22BPH140091	80	58	65	84	45	46	47	47	472	78.67	PASS	
92	Y22BPH140092	74	59	57	61	45	42	45	44	427	71.17	PASS	
93	Y22BPH140093	76	59	73	70	45	45	47	47	462	77.00	PASS	
94	Y22BPH140094	71	54	65	71	45	44	45	45	440	73.33	PASS	
95	Y22BPH140095	72	55	68	66	45	43	45	45	439	73.17	PASS	
96	Y22BPH140096	76	63	64	66	46	44	45	45	449	74.83	PASS	
97	Y22BPH140097	65	53	54	57	43	44	43	45	404	67.33	PASS	
98	Y22BPH140098	69	56	54	65	43	43	45	45	420	70.00	PASS	
99	Y22BPH140099	73	60	66	59	45	43	45	44	435	72.50	PASS	
100	Y22BPH140100	69	55	64	61	43	42	45	44	423	70.50	PASS	
101	Y22BPH140101	68	59	63	60	42	44	45	45	426	71.00	PASS	
102	Y22BPH140102	65	57	50	56	43	42	43	44	400	66.67	PASS	
103	Y22BPH140103	75	64	66	66	43	44	45	45	448	74.67	PASS	

S NO	REG NO	301	302	303	304	305	306	307	308	TOTAL	%	STATUS	RV
104	Y22BPH140104	72	56	71	61	44	44	44	44	436	72.67	PASS	
105	Y22BPH140105	68	58	57	60	43	43	43	44	416	69.33	PASS	
106	Y22BPH140106	77	70	57	63	43	44	43	44	441	73.50	PASS	
107	Y22BPH140107	64	65	50	54	42	42	43	42	402	67.00	PASS	
108	Y22BPH140108	76	65	67	70	43	44	45	44	454	75.67	PASS	
109	Y22BPH140109	72	63	52	70	41	42	43	45	428	71.33	PASS	
110	Y22BPH140110	37	62	51	59	38	41	43	44	375	62.50	F1	FAIL
	Total Failures	1	0	4	2	0	0	0	1				
	Pass Percentage	99.09	100	95.45	97.27	100	100	100	99.09				
	Subject Incharge	Dr.K.N.V.Chenchu Lakshmi / Ms.Sk.Jareena	Smt.R.Anusha / P.Srinivasu	Dr.K.Naveen Babu / Dr N. Kanaka Durga Devi	Dr. T. P. Rao / Sri. K. Anil Kumar	Dr.K.N.V.Chenchu Lakshmi / Ms.Sk.Jareena	Dr A. Bharathi / Smt.R.Anusha	Dr.K.Naveen Babu / Dr N. Kanaka Durga Devi	Dr. T. P. Rao / Sri. K. Anil Kumar				

BP301T	Pharmaceutical Organic Chemistry-II
BP302T	Physical Pharmaceutics I
BP303T	Pharmaceutical Microbiology
BP304T	Pharmaceutical Engineering
BP305P	Pharmaceutical Organic Chemistry-II
BP306P	Physical Pharmaceutics I
BP307P	Pharmaceutical Microbiology
BP308P	Pharmaceutical Engineering

TOTAL REGISTERED	110
TOTAL APPEARED	109
ABSENT	1
PASS	102
FAIL	7
PASS%	93.58%
FAIL %	6.42%
First Class with Distinction (70% & above)	76
First Class (60% - 70%)	26
Second Class (50%- 60%)	Nil

Sem toppers

Rank	REG No.	Total	Percentage
1	Y22BPH140048	503	83.83
2	Y22BPH140007	493	82.17
3	Y22BPH140023	490	81.67

PRINCIPAL